gemäß 1907/2006/EG, Artikel 31

Printing date 28.04.2023

Version number 3 (replaces version 2)

Revision: 28.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: **BWT loclean**

· UFI: 7740-Y0KM-S00C-7P87

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Deliming agent

 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: BWT Holding GmbH Walter-Simmer-Straße 4

A - 5310 Mondsee AUSTRIA Tel.: +43/6232/5011-0 Fax: +43/6232/4058 email: office@bwt.at

 Further information obtainable from: Abteilung F&E - Chemikalienbeauftragte(r) Tel.: +43/6232/5011-1893 +43/6232/5011-1427 e-mail: msds-info@bwt-group.com 1.4 Emergency telephone number:

Poison center Vienna Tel.: +43/1-406 43 43

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Warning

Hazard-determining components of labelling: maleic acid
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

- · Precautionary statements
- P102Keep out of reach of children.P264Wash thoroughly after handling.

(Contd. on page 2)

DE/EN

gemäß 1907/2006/EG, Artikel 31

Printing date 28.04.2023

Version number 3 (replaces version 2)

Revision: 28.04.2023

Trade name: BWT loclean

| | (Contd. of page 1) |
|-------------------|--|
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| | |
| P303+P331+P3 | 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
| | present and easy to do. Continue rinsing. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international |
| | regulations. |
| · 2.3 Other hazar | rds - |
| · Results of PBT | and vPvB assessment |
| . DRT. Not appli | cable |

• *PBT*: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| • Dangerous components: | | |
|--------------------------------|---|----------|
| CAS: 617-48-1 | DL-malic acid | 50-100% |
| EINECS: 210-514-9 | () <i>Eye Irrit. 2, H319</i> | |
| Reg.nr.: 01-2119552463-40 | | |
| CAS: 110-16-7 | maleic acid | ≥10-<20% |
| EINECS: 203-742-5 | Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 | |
| | Specific concentration limit: Skin Sens. 1; H317: $C \ge 0,1 \%$ | |
| · Additional information · For | r the wording of the listed hazard phrases refer to section 16 | |

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- *After swallowing:* If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3) DE/EN

gemäß 1907/2006/EG, Artikel 31

Printing date 28.04.2023

Version number 3 (replaces version 2)

Revision: 28.04.2023

Trade name: BWT loclean

• 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

• Storage class: 13

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- \cdot General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.

• Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 2)

DE/EN

Sicherheitsdatenblatt gemäß 1907/2006/EG, Artikel 31

gemap 1907/2000/EG, Arak

Printing date 28.04.2023

Version number 3 (replaces version 2)

Revision: 28.04.2023

(Contd. of page 3)

Trade name: BWT loclean

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

| SECTION 9: Physical and chemical prop | erties |
|--|---|
| 9.1 Information on basic physical and chemical p | roperties |
| General Information | |
| Physical state | Solid |
| Colour: | White |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and boiling | |
| range | Undetermined. |
| Flammability | Not determined. |
| Lower and upper explosion limit | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | Not applicable. |
| Decomposition temperature: | Not determined. |
| pH at 20 °C | 3 |
| Viscosity: | |
| Kinematic viscosity | Not applicable. |
| Dynamic: | Not applicable. |
| Solubility | |
| water: | Easily soluble. |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure: | Not applicable. |
| Density and/or relative density | |
| Density at 20 °C: | 1,7912 g/cm ³ |
| Relative density | Not determined. |
| Vapour density | Not applicable. |
| Particle characteristics | See section 3. |
| 9.2 Other information | |
| Appearance: | |
| Form: | Tablets |
| Important information on protection of health an | |
| environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Solvent content: | |
| Solids content: | 100,0 % |
| Change in condition | × v v, v , v |
| Evaporation rate | Not applicable. |
| Information with regard to physical hazard classe | |
| Explosives | S Void |
| Explosives Flammable gases | Void |
| tammable gases Aerosols | Void |
| Aerosois Oxidising gases | Void |
| Gases under pressure | Void |
| | Vola Void |
| Flammable liquids | r Ulu |

DE/EN

gemäß 1907/2006/EG, Artikel 31

Printing date 28.04.2023

Version number 3 (replaces version 2)

Revision: 28.04.2023

Trade name: BWT loclean

| | | (Contd. of page 4) |
|---|------|--------------------|
| · Flammable solids | Void | |
| · Self-reactive substances and mixtures | Void | |
| · Pyrophoric liquids | Void | |
| · Pyrophoric solids | Void | |
| · Self-heating substances and mixtures | Void | |
| · Substances and mixtures, which emit flamm | able | |
| gases in contact with water | Void | |
| · Oxidising liquids | Void | |
| · Oxidising solids | Void | |
| · Organic peroxides | Void | |
| · Corrosive to metals | Void | |
| · Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid
- Heat exposure
- heat exposure
- No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 110-16-7 maleic acid

Oral LD50 708 mg/kg (rat)

Dermal LD50 1.560 mg/kg (rabbit)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 6)

DE/EN

gemäß 1907/2006/EG, Artikel 31

Printing date 28.04.2023

Version number 3 (replaces version 2)

Revision: 28.04.2023

Trade name: BWT loclean

(Contd. of page 5)

| OFCTION 12. Foolo | and information |
|-------------------|------------------|
| SECTION 12: Ecolo | elcal miormailon |
| | |

| · 12.1 Toxicity | • | 12.1 | Toxicity |
|-----------------|---|------|----------|
|-----------------|---|------|----------|

- Aquatic toxicity:
- CAS: 617-48-1 DL-malic acid
- EC50 240 mg/L (daphnia)
- EC50/72h >100 mg/l (algae)
- *LC50/96h* >100 mg/l (Danio rerio) (OECD 203)

CAS: 110-16-7 maleic acid

- EC50 42,81 mg/L (daphnia) (OECD 202)
- EC50/72h 74,35 mg/l (algae) (OECD 201)
- LC50/96h 75 mg/l (fish) (EPA 660/3-75-009)
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

07 01 99 wastes not otherwise specified

· Uncleaned packaging:

- *Recommendation: Disposal must be made according to official regulations.*
- *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

| SECTION 14: Transport informa | tion | |
|--|------|--------------------|
| • 14.1 UN number or ID number • ADR, ADN, IMDG, IATA | Void | |
| · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| | | (Contd. on page 7) |

gemäß 1907/2006/EG, Artikel 31

Printing date 28.04.2023

Version number 3 (replaces version 2)

Revision: 28.04.2023

Trade name: BWT loclean

| | | (Contd. of page 6) |
|---|------------------------------------|--------------------|
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: | Not applicable. | |
| · 14.6 Special precautions for user | Not applicable. | |
| • 14.7 Maritime transport in bulk according instruments | g to IMO Not applicable. | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- Date of previous version: 22.09.2022
- Version number of previous version: 2
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 8)

Sicherheitsdatenblatt gemäß 1907/2006/EG, Artikel 31

Printing date 28.04.2023

Version number 3 (replaces version 2)

Revision: 28.04.2023

Trade name: BWT loclean

| | (Contd. of page |
|--|-----------------|
| GHS: Globally Harmonised System of Classification and Labelling of Chemicals | · · · · · |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| Acute Tox. 4: Acute toxicity – Category 4 | |
| Skin Irrit. 2: Skin corrosion/irritation – Category 2 | |
| Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 | |
| Skin Sens. 1: Skin sensitisation – Category 1 | |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 | |
| * Data compared to the previous version altered. | |
| | E |